


Bugle  
Head

# Fine Thread Drywall Screws

# Self-Tapping Screws



Fine Thread Drill Point  
Drywall Screw



Fine Thread Sharp Point  
Drywall Screw

## THREADS FOR FINE THREAD DRYWALL SCREWS

Screw Size	Threads per inch	D		d	
		Major Diameter		Minor Diameter	
		Max.	Min.	Max.	Min.
6	18	.144	.135	.102	.096
7	16	.156	.147	.113	.106
8	15	.170	.161	.123	.116
10	14	.201	.193	.158	.152
<b>Tolerance on Length</b>		Up to 1 in. incl.: -0, +0.060		Over 1 in.: -0, +0.100	

**Description**

*Fine thread Drywall--Sharp point:* A bugle head screw with twinfast thread, extra sharp point and black phosphate finish.  
*Fine thread Drywall--Drill point:* A bugle head screw with twin lead spaced thread, self drilling point and black phosphate finish.

**Applications/  
Advantages**

*Fine thread Drywall--Sharp point:* For attaching drywall to metal studs from 25 gage through 20 gage thick. Longer sizes are ideal for multiple layers or insulation.  
*Fine thread Drywall--Drill point:* Will drive easily through drywall, drill a hole in a steel stud up to 14 gage thick, and form its own mating thread. Can also be used for attaching plywood or insulation board to 14 gage metal.

**Material**

AISI 1018 or equivalent steel

**Heat Treatment**

Screws shall be quenched in liquid and then tempered by reheating to 650°F minimum.

**Case Hardness**

Rockwell C44 minimum

**Plating**

See Appendix-A for information about the coating of drywall screws.